


Cordless Robotic Pool Cleaner

Owner's Manual

AC1000 PRO



Read through the entire manual before running your new AquaClean cordless robotic pool cleaner, and keep this manual handy for future reference.



Thank you for purchasing the AquaClean® Cordless Robotic Pool Cleaner!

The AquaClean Robotic Pool Cleaner is designed to deliver high efficiency, low power consumption, easy operation, and thorough pool cleaning. Its distinctive appearance and reliable features, including one-button activation, powerful suction and scrubbing, fine filtration, smart navigation, and compatibility with various pool shapes and construction materials, ensure convenient, intelligent, and optimal pool cleaning performance.

Please read through the entire manual before using your new cordless robotic pool cleaner. We are not responsible for any loss or injury caused by improper use. If you encounter a problem with your AquaClean® product, please contact our customer service for assistance.

AquaCal AutoPilot, Inc. Customer Service:

Email: customersupport@aquacal.com Web: www.AquaCal.com



CONTENTS

| 01 |
|----|
| 03 |
| 04 |
| 05 |
| 06 |
| 07 |
| 08 |
| 09 |
| 09 |
| 10 |
| 11 |
| |





IMPORTANT PRECAUTIONS READ AND FOLLOW ALL DIRECTIONS

- Follow all state, local, and National Electrical Code(s) (provincial and Canadian Electrical Code(s) if applicable) unless local guidelines supersede.
- For personal safety, and to avoid damage to equipment, follow all safety instructions displayed on the equipment and within this manual.
- Repair and service of your AquaClean® cleaner must be performed by qualified service personnel only. Failure to properly operate, maintain or repair the AquaClean® cleaner will void the factory warranty.



MARNING - Failure to heed the following may result in permanent injury or death.

- RISK OF ELECTRICAL SHOCK The unit must be connected only to a supply circuit that is protected by a ground-fault circuit-interrupter (GFCI). The GFCI must be tested on a routine basis. To test, push the GFCI test button. Power should be interrupted. Push the reset button. Power should be restored. If the GFCI fails to operate in this manner, it is defective.
- RISK OF ELECTRICAL SHOCK If the ground-fault circuit-interrupter (GFCI) interrupts power to the equipment without the test button being pushed, a ground current is flowing with a possibility of an electrical shock. Do not use equipment. Disconnect the equipment and have the problem corrected by a qualified service representative before using.
- RISK OF ELECTRICAL SHOCK To reduce the risk of electrical shock, do not use the charger if the cord is damaged.
- PERSONAL SAFETY HAZARD To reduce the risk of injury, do not permit
 children to operate this device. Never allow children to ride on the cleaner or
 play with it as a toy.
- RISK OF CHILD DROWNING OR INJURY Children must be closely supervised at all times around pool or spa equipment.
- PERSONAL SAFETY HAZARD Do not operate the cleaner when there are people in the pool.
- PERSONAL SAFETY HAZARD Do not charge the cleaner if the environment is above 95° F (35° C) or below 41° F (5° C)





CAUTION - Failure to heed the following may result in equipment damage.

- Use the accessories recommended or sold by the manufacturer only.
- Dry the charging port after removing the cleaner from out of the water. Ensure the cleaner is switched off (the indicator should be off) before charging.
- Use the original and authorized power charger only. Do not charge any other devices with this charger.
- Do not charge the cleaner if the environment is above 95° F (35° C) or below 41° F (5° C)
- Do not overcharge the cleaner as it will reduce the life of the battery.
- Do not power on the cleaner when it is out of the water.
- Always clean and wash the filter basket after each use.
- Do not use a pool cleaner on newly plastered pools, as wheels can leave track
 marks if the surface is not adequately cured. Consult your pool professional for
 instructions on when to use this cleaner on newly plastered surfaces.
- Only qualified service professionals should disassemble the sealed drive kit
 of the cleaner. Warranties will be voided if the cleaner has been improperly
 installed. Failure to properly operate, maintain or repair the AquaClean® cleaner
 will void the factory warranty.

Only use the pool cleaner under the specified water conditions:


| Chlorine | Max 4 PPM | |
|-------------|----------------------|--|
| рН | 7.0 - 7.8 PPM | |
| Temperature | 41 - 95 F (5 - 35 C) | |
| NaCl | Maximum = 5000 PPM | |

SAVE THESE INSTRUCTIONS

Do not over-charge the cleaner. This will reduce the battery life.

If the cleaner will be stored for more than (6) months, it should be fully charged prior to storage.





- HANDLE
 - Use to remove and transport the device easily.
- ON/OFF BUTTON
 Turn on/turn off the device.
- FILTER COVER HANDLE
 Hold and press to open
 the cover.
- **PUMP**

Vacuums debris and pumps out water.

CHARGING PORT

Connect the charger.

TRACK

Enhance device's capability in climbing walls and various obstacles.

SCRUBBING BRUSH

Use to loosen dirt and debris, then roll them into the device.

LED INDICATOR


Different light colors to indicate device status.

Product Internal Overview

- FILTER BASKET
 Stores collected dirt and
 - Stores collected dirt and debris. Wash after each use.

SEALED PART


Important components are sealed there. For your safety, do not try to disassemble it.





Charge your new AquaClean Robotic Pool Cleaner

The device has a lithium-ion rechargeable battery. Charge the battery before first use and when the battery is low. Connect your device to a power outlet using the included cable and adaptor.



- For your safety, ensure the device is powered off and the charging socket is dry before charging.
- Keep your device and adaptor away from direct sun or water when charging.


NOTE:

- 1. When charging, maintain a distance of at least 3m (approximately 10ft) between the device and the pool edge.
- 2. The best charging environment temperature is 32°F 95°F (0°C 35°F), RH at 5% 95%.




Set up your new AquaClean Robotic Pool Cleaner

Turn on the device by pressing the on/off button. The LED indicator on the front will display a solid blue when the device is on.



Below is the LED indicator guide to help you understand the device's different status.



| LED Light | Indication | Status | |
|-----------|------------------------|---|--|
| | Solid | Power On | |
| | Flashing | Operating | |
| | Flashing | Low battery or under self-parking in the pool | |
| | Fading (bright to dim) | Self-parking completion | |
| | Solid or Flashing | Fault | |


NOTE:

- When yellow light flashing, you should remove your device out of water and charge it.
- 2. If red LED light is on, check page 10 for troubleshooting chart.




Run your new AquaClean Cordless Robotic Pool Cleaner

Turn on the device, hold the handle of the cleaner and place it into the pool vertically.



Let it sink down to the floor to empty trapped air inside.




NOTE:

To achieve an optimal cleaning performance, you should ensure the water depth of the pool is at least 19.5 in (50 cm) high from the top of the device.



Turn on the device, hold the handle of the cleaner and place it into the pool vertically.



The cleaner will start cleaning the walls, floor, and waterline.



Depending on the battery charge, the device will automatically move to stop by the edge of the wall when finishing cleaning.



Use the provided hook to retrieve the cleaner from the pool by inserting it into a pool rod.




When removing the cleaner from the pool, lift it vertically to drain any water inside.




Do a Filter Cleaning

CAUTION - Failure to heed the following may result in equipment damage. Do not attempt to clean the filter while the unit is in the pool.


Hold the filter cover handle, press and open it.





NOTE:


- 1. Ensure the device is powered off before opening the top cover.
- 2. Clean the filter basket before allowing it to dry.



Take out the filter basket.



Empty all debris and rinse it with clean water.



After rinsing, put the filter basket into the cleaner and close the cover.



| DEVICE SPECIFICATIONS | | | | |
|-------------------------------------|--|--|--|--|
| Model | AquaClean®AC1000 Pro | | | |
| Rated Working Voltage | 10.8V | | | |
| Power | 65W | | | |
| Run Time | Max. 110min for one cycle | | | |
| Charger Input | 100-240V, 50-60Hz | | | |
| Charger Output | 5A | | | |
| Battery Capacity | 9200mAh | | | |
| Charging Time | 3-4 hours | | | |
| Pool Size | Up to 861 sq.ft (80 m²)* | | | |
| Flow Rate | approx. 2642gal/h (10m³/h) | | | |
| Filter Density | 180 µm | | | |
| Moving Speed | approx. 36 ft/min (11 m/min) | | | |
| Waterproof Grade | IPX8 | | | |
| Charging Environment Temperature | 41° F- 95° F (5° C - 35° C) | | | |
| Max Water Depth | 9.8 ft (3 m) | | | |
| Product Size | 14.6(L)*14.1(W)*9.4(H) inches 372(L)*360(W)*240(H) mm | | | |
| Weight | 16.53 lbs (7.5 kg) | | | |

NOTE: Chargers may vary, both are certified by authorization.

 $^{^*\}mbox{Models}$ equipped with app can clean pools up to 1300 sq ft / 120m² when changed to "Only Floor" clean mode.



HOW TO MAINTAIN YOUR DEVICE

To maintain optimal performance of your cleaner, follow these steps for storage:

- a. Always ensure the device is powered off before performing maintenance.
- b. Thoroughly dry the cleaner and filter basket.
- c. Fully charge the battery.
- d. Store the cleaner in a cool, well-ventilated area away from direct sunlight, heat sources, and frost. The ambient temperature should range between 5°C/41°F and 45°C / 113°F.
- e. Charge the cleaner every three months to preserve battery life.

FAQ & TROUBLESHOOTING

- Q: Which pool shapes and construction materials is the cleaner suitable for?
- A: The AquaClean is compatible with rectangle, oval, or irregular shapes of inground swimming pools. It works well with construction materials such as PVC, cement, and other high-friction materials.
- Q: Will obstacles such as steps, shallow water areas, drains, and slopes affect the cleaner's operation in the swimming pool?
- A: The AquaClean is designed to handle obstacles like steps, drains, and shallow water areas. While these obstacles may alter its cleaning path, they won't disrupt its operation.




| No. | Issue | Details | Possible Causes | Suggested Solution |
|-----|------------------------------------|--------------------------------------|---|--|
| | Device does not work | A solid red light | Impeller is stuck | Check the impeller and remove any foreign objects |
| | | A flashing red light | Motor protection | Restart |
| 1 | | A flashing red light | The device is out of the water or the pool water is too shallow | Restart and place it into the pool immediately. Be sure the water depth is over 1.64 feet or .5 meters |
| | A fading yellow light | Battery low | Fully charge the device and restart | |
| 2 | Unable to charge | Charger light flashes | Poor contact | Re-plug the charger |
| 3 | Doesn't climb walls | N/A | Slippery construction materials | Stick adhesive blocks |
| | Abnormal wall climbing | Climbing Slowly | Filter basket blocked | Clean the filter basket |
| 4 | | Sinking down away from wall or | Intake air | Stick balance weight |
| | | floating on the water | Filter basket blocked | Clean the filter basket |
| 5 | Front side up while cleaning floor | N/A | Filter basket blocked | Clean the filter basket |
| 6 | Stuck at water drains | N/A | Drain height is over 1.18 in / 3cm | Help the AquaClean away from the obstacle |




Floating Block Installation

Attention: The following diagrams are limited to use of the floating blocks when the robot cannot climb the pool walls. **If your cleaner is performing well, please bypass these instructions.**




C. Replace the filter basket and close the filter cover.



Contact AquaCal® AutoPilot® customer service about your warranty at +1 727.823.5642

AQUACLEAN CORDLESS ROBOTIC POOL CLEANER





AquaCal AutoPilot, Inc • 2737 24th Street North, St. Petersburg, FL 33713, USA • +1 727.823.5642



































